according to the OSHA Hazard Communication Standard



# Tordon® 22K

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/30/2023

 1.4
 10/19/2023
 800080003197
 Date of first issue: 03/09/2022

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

#### **SECTION 1. IDENTIFICATION**

Product name : Tordon® 22K

Manufacturer or supplier's details

**COMPANY IDENTIFICATION** 

Manufacturer/importer : CORTEVA AGRISCIENCE LLC

9330 ZIONSVILLE RD

INDIANAPOLIS, IN, 46268-1053

**UNITED STATES** 

**Customer Information** 

Number

: 1-800-258-3033

**E-mail address** : customerinformation@corteva.com

**Emergency telephone** : INFOTRAC (CONTRACT 84224).

+1 800-992-5994 or +1 317-337-6009

Recommended use of the chemical and restrictions on use

Recommended use : End use herbicide product

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization : Category 1

**GHS** label elements

Hazard pictograms



according to the OSHA Hazard Communication Standard



## Tordon® 22K

Version Revision Date: SDS Number: Date of last issue: 08/30/2023 1.4 10/19/2023 800080003197 Date of first issue: 03/09/2022

Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.

Precautionary Statements : Prevention:

P261 Avoid breathing mist or vapors.

P272 Contaminated work clothing must not be allowed out of

the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.

P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)	
Picloram Potassium Salt	2545-60-0	24.4	
potassium hydroxide	1310-58-3	>= 1 - < 3	
Alkylphenol alkoxylate	69029-39-6	>= 1 - < 3	
Balance	Not Assigned	> 60	

Actual concentration is withheld as a trade secret

### **SECTION 4. FIRST AID MEASURES**

If inhaled : Move person to fresh air. If person is not breathing, call an

emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment

advice.

In case of skin contact : Take off contaminated clothing. Wash skin with soap and

plenty of water for 15-20 minutes. Call a poison control center

or doctor for treatment advice.

Wash clothing before reuse. Shoes and other leather items which cannot be decontaminated should be disposed of

properly.

In case of eye contact : Hold eyes open and rinse slowly and gently with water for 15-

according to the OSHA Hazard Communication Standard



# Tordon® 22K

Version Revision Date: SDS Number: Date of last issue: 08/30/2023 1.4 10/19/2023 800080003197 Date of first issue: 03/09/2022

20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control

center or doctor for treatment advice.

Suitable emergency eye wash facility should be available in

work area.

If swallowed : Call a poison control center or doctor immediately for treat-

ment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison

control center or doctor.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

None known.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing (chemical re-

sistant gloves, splash protection).

If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

Notes to physician : No specific antidote.

Treatment of exposure should be directed at the control of

symptoms and the clinical condition of the patient.

Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or

doctor, or going for treatment.

## **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Unsuitable extinguishing

media

Do not use direct water stream.

High volume water jet

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Vapors may form explosive mixtures with air.

Do not allow run-off from fire fighting to enter drains or water

courses.

Flash back possible over considerable distance.

Hazardous combustion prod: :

ucts

During a fire, smoke may contain the original material in addition to combustion products of varying composition which may

be toxic and/or irritating.

Combustion products may include and are not limited to:

Nitrogen oxides (NOx) Hydrogen chloride gas

Carbon oxides

according to the OSHA Hazard Communication Standard



# Tordon® 22K

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/30/2023

 1.4
 10/19/2023
 800080003197
 Date of first issue: 03/09/2022

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

SO

Evacuate area.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Further information : Use water spray to cool fire exposed containers and fire af-

fected zone until fire is out and danger of reignition has

passed.

Do not use a solid water stream as it may scatter and spread

fire.

Use a water spray to cool fully closed containers.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions : If the product contaminates rivers and lakes or drains inform

respective authorities.

Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Prevent from entering into soil, ditches, sewers, underwater.

See Section 12, Ecological Information.

Methods and materials for containment and cleaning up

Clean up remaining materials from spill with suitable absorb-

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can

be pumped,

Recovered material should be stored in a vented container. The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-

pressurization of the container.

Keep in suitable, closed containers for disposal. Wipe up with absorbent material (e.g. cloth, fleece).

Non-sparking tools should be used.

according to the OSHA Hazard Communication Standard



# Tordon® 22K

Version Revision Date: SDS Number: Date of last issue: 08/30/2023 1.4 10/19/2023 800080003197 Date of first issue: 03/09/2022

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).

Suppress (knock down) gases/vapors/mists with a water spray

jet.

See Section 13, Disposal Considerations, for additional infor-

mation.

### **SECTION 7. HANDLING AND STORAGE**

Local/Total ventilation : Use with local exhaust ventilation.

Advice on safe handling : Avoid formation of aerosol.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Provide sufficient air exchange and/or exhaust in work rooms.

Do not breathe vapors/dust.

Do not smoke.

Handle in accordance with good industrial hygiene and safety

practice.

Avoid exposure - obtain special instructions before use. Smoking, eating and drinking should be prohibited in the ap-

plication area.

Do not get on skin or clothing. Avoid inhalation of vapor or mist.

Do not swallow.

Avoid contact with skin and eyes.

Avoid contact with eyes. Keep container tightly closed.

Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Conditions for safe storage : Store in a closed container.

No smoking.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Strong oxidizing agents

Explosives Gases

Packaging material : Unsuitable material: None known.

according to the OSHA Hazard Communication Standard



## Tordon® 22K

Version Revision Date: SDS Number: Date of last issue: 08/30/2023 1.4 10/19/2023 800080003197 Date of first issue: 03/09/2022

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
potassium hydroxide	1310-58-3	С	2 mg/m3	ACGIH
		С	2 mg/m3	OSHA P0
Alkylphenol alkoxylate	69029-39-6	TWA	2 mg/m3	Dow IHG

**Engineering measures** 

Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations.

Local exhaust ventilation may be necessary for some opera-

tions.

### Personal protective equipment

Respiratory protection

Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator.

Hand protection

Remarks : Use gloves chemically resistant to this material. Examples of

preferred glove barrier materials include: Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications

provided by the glove supplier.

Eye protection : Use chemical goggles.

Skin and body protection : Use protective clothing chemically resistant to this material.

Selection of specific items such as face shield, boots, apron,

or full body suit will depend on the task.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

according to the OSHA Hazard Communication Standard



# Tordon® 22K

Version Revision Date: SDS Number: Date of last issue: 08/30/2023 1.4 10/19/2023 800080003197 Date of first issue: 03/09/2022

Appearance : Liquid.

Color : Colorless

Odor : mild, sweet

Odor Threshold : No data available

pH : 7.23 (74.5 °F / 23.6 °C)

GLP: ves

(aqueous 10% slurry)

Melting point/range : Not applicable

Freezing point No data available

Boiling point/boiling range : 212 °F / 100 °C

Flash point :  $> 208 \, ^{\circ}\text{F} / > 98 \, ^{\circ}\text{C}$ 

Method: closed cup

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable to liquids

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapor pressure : 29.326 hPa (68 °F / 20 °C)

Approx.

Relative vapor density : 1.14

approximately

Density : 1.163 g/cm3 (68 °F / 20 °C)

Method: Digital density meter

Solubility(ies)

Water solubility : water solution

Autoignition temperature : No data available

Viscosity

Viscosity, dynamic : < 5 mPa.s (77.7 °F / 25.4 °C)

according to the OSHA Hazard Communication Standard



# Tordon® 22K

Version Revision Date: SDS Number: Date of last issue: 08/30/2023 1.4 10/19/2023 800080003197 Date of first issue: 03/09/2022

Viscosity, kinematic : 3.88 cSt (68 °F / 20 °C)

Explosive properties : No

Method: EEC A14

Oxidizing properties : No significant increase (>5C) in temperature.

GLP: yes

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : No decomposition if stored and applied as directed.

Stable under normal conditions.

Possibility of hazardous reac-

tions

Stable under recommended storage conditions.

No hazards to be specially mentioned. Vapors may form explosive mixture with air.

May form explosive dust-air mixture.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong acids

Strong bases

Hazardous decomposition

products

Decomposition products depend upon temperature, air supply

and the presence of other materials.

Decomposition products can include and are not limited to:

Nitrogen oxides (NOx) Hydrogen chloride gas

Carbon oxides

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

# **Acute toxicity**

**Product:** 

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 8.11 mg/l

Exposure time: 4 h

Test atmosphere: Aerosol

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

according to the OSHA Hazard Communication Standard



## Tordon® 22K

Version Revision Date: SDS Number: Date of last issue: 08/30/2023 1.4 10/19/2023 800080003197 Date of first issue: 03/09/2022

**Components:** 

**Picloram Potassium Salt:** 

Acute oral toxicity : LD50 (Rat, female): 2,675 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1.6 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Symptoms: No deaths occurred at this concentration. Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: For similar material(s): Maximum attainable concentration.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: Estimated.

Symptoms: No deaths occurred at this concentration.

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on information for a similar material:

potassium hydroxide:

Acute oral toxicity : LD50 (Rat, male): 333 mg/kg

Alkylphenol alkoxylate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg

Skin corrosion/irritation

**Product:** 

Result : No skin irritation

**Components:** 

**Picloram Potassium Salt:** 

Result : No skin irritation

potassium hydroxide:

Result : Causes severe burns.

Alkylphenol alkoxylate:

Species : Rabbit

Result : No skin irritation

according to the OSHA Hazard Communication Standard



## Tordon® 22K

Version Revision Date: SDS Number: Date of last issue: 08/30/2023 1.4 10/19/2023 800080003197 Date of first issue: 03/09/2022

### Serious eye damage/eye irritation

**Product:** 

Result : No eye irritation

**Components:** 

**Picloram Potassium Salt:** 

Result : Eye irritation

potassium hydroxide:

Result : Corrosive

Alkylphenol alkoxylate:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitization

**Product:** 

Assessment : May cause sensitization by skin contact.

**Components:** 

**Picloram Potassium Salt:** 

Assessment : Does not cause skin sensitization. Remarks : For similar active ingredient(s).

Picloram.

Did not cause allergic skin reactions when tested in guinea

pigs.

Remarks : For respiratory sensitization:

No relevant data found.

potassium hydroxide:

Remarks : Did not cause allergic skin reactions when tested in guinea

pigs.

Remarks : For respiratory sensitization:

No relevant data found.

Alkylphenol alkoxylate:

Species : Guinea pig

Assessment : Does not cause skin sensitization.

according to the OSHA Hazard Communication Standard



## Tordon® 22K

Version Revision Date: SDS Number: Date of last issue: 08/30/2023 1.4 10/19/2023 800080003197 Date of first issue: 03/09/2022

### Germ cell mutagenicity

## **Components:**

**Picloram Potassium Salt:** 

Germ cell mutagenicity -

Assessment

For similar active ingredient(s)., The preponderance of data shows picloram to be non-mutagenic in 'in vitro' (test tube)

tests and in animal test systems.

Alkylphenol alkoxylate:

Germ cell mutagenicity -

Assessment

In vitro genetic toxicity studies were negative.

#### Carcinogenicity

### **Components:**

**Picloram Potassium Salt:** 

Carcinogenicity - Assess-

ment

: For similar active ingredient(s)., Picloram acid., Did not cause

cancer in laboratory animals.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

#### Reproductive toxicity

#### Components:

**Picloram Potassium Salt:** 

Reproductive toxicity - Assessment

: For similar active ingredient(s)., Picloram acid., In animal stud-

ies, did not interfere with reproduction.

Did not cause birth defects or any other fetal effects in labora-

tory animals.

Alkylphenol alkoxylate:

Reproductive toxicity - As-

sessment

: In animal studies, did not interfere with reproduction., In ani-

mal studies, did not interfere with fertility.

Did not cause birth defects or any other fetal effects in labora-

tory animals.

#### STOT-single exposure

**Product:** 

Assessment : Evaluation of available data suggests that this material is not

an STOT-SE toxicant.

according to the OSHA Hazard Communication Standard



# Tordon® 22K

Version Revision Date: SDS Number: Date of last issue: 08/30/2023 1.4 10/19/2023 800080003197 Date of first issue: 03/09/2022

**Components:** 

**Picloram Potassium Salt:** 

Assessment : Evaluation of available data suggests that this material is not

an STOT-SE toxicant.

potassium hydroxide:

Assessment : Available data are inadequate to determine single exposure

specific target organ toxicity.

Alkylphenol alkoxylate:

Assessment : Evaluation of available data suggests that this material is not

an STOT-SE toxicant.

STOT-repeated exposure

**Product:** 

Assessment : Evaluation of available data suggests that this material is not

an STOT-RE toxicant.

Repeated dose toxicity

**Components:** 

**Picloram Potassium Salt:** 

Remarks : Based on available data, repeated exposures are not antici-

pated to cause significant adverse effects.

potassium hydroxide:

Remarks : Excessive exposure may cause severe irritation to upper res-

piratory tract (nose and throat) and lungs.

Alkylphenol alkoxylate:

Remarks : In animals, effects have been reported on the following or-

gans: Kidney. Liver.

**Aspiration toxicity** 

Product:

Based on physical properties, not likely to be an aspiration hazard.

**Components:** 

**Picloram Potassium Salt:** 

Based on physical properties, not likely to be an aspiration hazard.

according to the OSHA Hazard Communication Standard



## Tordon® 22K

Version Revision Date: SDS Number: Date of last issue: 08/30/2023 1.4 10/19/2023 800080003197 Date of first issue: 03/09/2022

#### potassium hydroxide:

Aspiration into the lungs may occur during ingestion or vomiting, causing tissue damage or lung injury.

### Alkylphenol alkoxylate:

Based on physical properties, not likely to be an aspiration hazard.

#### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

**Product:** 

Toxicity to fish : Remarks: Material is moderately toxic to aquatic organisms on

an acute basis (LC50/EC50 between 1 and 10 mg/L in the

most sensitive species tested).

LC50 (Oncorhynchus mykiss (rainbow trout)): 26 mg/l

Exposure time: 96 h

Test Type: flow-through test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (eastern oyster (Crassostrea virginica)): 18 - 32 mg/l

Exposure time: 48 h

Test Type: flow-through test

Toxicity to algae/aquatic

plants

EC50 (Skeletonema costatum (marine diatom)): 14 mg/l

Exposure time: 120 h Test Type: static test

EC50 (diatom Navicula sp.): 3.9 mg/l

End point: Biomass

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): > 2,388.89 mg/kg

Exposure time: 14 d

Toxicity to terrestrial organ-

isms

Remarks: Material is practically non-toxic to birds on a dietary

basis (LC50 > 5000 ppm).

dietary LC50 (Anas platyrhynchos (Mallard duck)): > 10000

mg/kg diet.

dietary LC50 (Colinus virginianus (Bobwhite quail)): > 10000

mg/kg diet.

Exposure time: 8 d

contact LD50 (Apis mellifera (bees)): > 20 micrograms/bee

Exposure time: 24 h

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Toxic to aquatic life.

according to the OSHA Hazard Communication Standard



## Tordon® 22K

Version Revision Date: SDS Number: Date of last issue: 08/30/2023 1.4 10/19/2023 800080003197 Date of first issue: 03/09/2022

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

**Components:** 

**Picloram Potassium Salt:** 

Toxicity to fish : Remarks: For similar material(s):

Material is highly toxic to aquatic organisms on an acute basis (LC50/EC50 between 0.1 and 1 mg/L in the most sensitive

species tested).

LC50 (Lepomis macrochirus (Bluegill sunfish)): 137 mg/l

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 48 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 212 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EbC50 (Pseudokirchneriella subcapitata (green algae)): 85.5

mg/

End point: Biomass Exposure time: 120 h

ErC50 (Myriophyllum spicatum): 0.558 mg/l

Exposure time: 14 d

Remarks: For similar material(s):

NOEC (Myriophyllum spicatum): 0.0095 mg/l

Exposure time: 14 d

Remarks: For similar material(s):

M-Factor (Acute aquatic tox-

icity)

: 1

M-Factor (Chronic aquatic

toxicity)

10

Toxicity to terrestrial organ-

isms

Remarks: Material is practically non-toxic to birds on an acute

basis (LD50 > 2000 mg/kg).

oral LD50 (Anas platyrhynchos (Mallard duck)): > 2,250 mg/kg

oral LD50 (Colinus virginianus (Bobwhite quail)): > 5,620

mg/kg

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

according to the OSHA Hazard Communication Standard



## Tordon® 22K

Version Revision Date: SDS Number: Date of last issue: 08/30/2023 1.4 10/19/2023 800080003197 Date of first issue: 03/09/2022

potassium hydroxide:

Toxicity to fish : Remarks: May increase pH of aquatic systems to > pH 10

which may be toxic to aquatic organisms.

Alkylphenol alkoxylate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 4.8 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203 or Equivalent

LC50 (Oncorhynchus mykiss (rainbow trout)): 3.7 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203 or Equivalent

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 10.5 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202 or Equivalent

Toxicity to terrestrial organ-

isms

dietary LC50 (Apis mellifera (bees)): > 105 micrograms/bee

Exposure time: 2 d

contact LD50 (Apis mellifera (bees)): > 100 micrograms/bee

Exposure time: 2 d

No Observed Effects Level (NOEL) (Colinus virginianus

(Bobwhite quail)): 2,250 mg/kg

oral LD50 (Colinus virginianus (Bobwhite quail)): > 2,250

mg/kg

**Ecotoxicology Assessment** 

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Persistence and degradability

**Components:** 

**Picloram Potassium Salt:** 

Biodegradability : Remarks: For similar active ingredient(s).

Picloram.

Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biode-

gradable under environmental conditions.

Biodegradation may occur under aerobic conditions (in the

presence of oxygen).

Surface photodegradation is expected with exposure to sun-

light.

according to the OSHA Hazard Communication Standard



# Tordon® 22K

Version Revision Date: SDS Number: Date of last issue: 08/30/2023 1.4 10/19/2023 800080003197 Date of first issue: 03/09/2022

Chemical Oxygen Demand

(COD)

: 0.64 kg/kg

ThOD : 0.86 kg/kg

potassium hydroxide:

Biodegradability : Remarks: Biodegradation is not applicable.

Alkylphenol alkoxylate:

Biodegradability : Result: Not biodegradable

Remarks: Biodegradation under aerobic laboratory conditions is below detectable limits (BOD20 or BOD28/ThOD < 2.5%). Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biode-

gradable under environmental conditions.

Chemical Oxygen Demand

(COD)

1.78 kg/kg

ThOD : 2.35 kg/kg

**Bioaccumulative potential** 

**Components:** 

**Picloram Potassium Salt:** 

Partition coefficient: n-

octanol/water

Remarks: For similar active ingredient(s).

Picloram.

Bioconcentration potential is moderate (BCF between 100 and

3000 or Log Pow between 3 and 5).

Potential for mobility in soil is very high (Koc between 0 and

50).

potassium hydroxide:

Partition coefficient: n-

octanol/water

: Remarks: Partitioning from water to n-octanol is not applica-

ble.

Alkylphenol alkoxylate:

Partition coefficient: n-

octanol/water

Remarks: No bioconcentration is expected because of the

relatively high water solubility.

May foam in water.

Balance:

Partition coefficient: n-

octanol/water

: Remarks: No relevant data found.

according to the OSHA Hazard Communication Standard



## Tordon® 22K

Version Revision Date: SDS Number: Date of last issue: 08/30/2023 1.4 10/19/2023 800080003197 Date of first issue: 03/09/2022

### Mobility in soil

#### Components:

**Picloram Potassium Salt:** 

Distribution among environmental compartments Remarks: For similar active ingredient(s).

Picloram.

Potential for mobility in soil is very high (Koc between 0 and

50).

potassium hydroxide:

Distribution among environmental compartments Remarks: No data available for assessment due to technical

difficulties with testing.

**Balance:** 

Distribution among environmental compartments Remarks: No relevant data found.

#### Other adverse effects

#### Components:

**Picloram Potassium Salt:** 

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list

of substances that deplete the ozone layer.

potassium hydroxide:

Results of PBT and vPvB

assessment

This substance has not been assessed for persistence, bioac-

cumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list

of substances that deplete the ozone layer.

Alkylphenol alkoxylate:

Results of PBT and vPvB

assessment

: This substance has not been assessed for persistence, bioac-

cumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list

of substances that deplete the ozone layer.

Balance:

Results of PBT and vPvB

assessment

: This substance has not been assessed for persistence, bioac-

cumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list

of substances that deplete the ozone layer.

according to the OSHA Hazard Communication Standard



## Tordon® 22K

Version **Revision Date:** SDS Number: Date of last issue: 08/30/2023 10/19/2023 800080003197 Date of first issue: 03/09/2022 1.4

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

### **Disposal methods**

If wastes and/or containers cannot be disposed of according Waste from residues

> to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regu-

lations.

If the material as supplied becomes a waste, follow all appli-

cable regional, national and local laws.

### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

**UNRTDG** 

: UN 3082 **UN** number

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Picloram Potassium Salt)

Class 9 Packing group Ш Labels 9 Environmentally hazardous yes

IATA-DGR

UN/ID No. UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(Picloram Potassium Salt)

Class 9 Ш Packing group

Labels Miscellaneous

Packing instruction (cargo

aircraft)

964

Packing instruction (passen-

964

ger aircraft)

**IMDG-Code** 

**UN** number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Picloram Potassium Salt)

Class 9 Packing group Ш Labels 9

according to the OSHA Hazard Communication Standard



## Tordon® 22K

Version Revision Date: SDS Number: Date of last issue: 08/30/2023 1.4 10/19/2023 800080003197 Date of first issue: 03/09/2022

EmS Code : F-A, S-F

Marine pollutant : yes(Picloram Potassium Salt)

Remarks : Stowage category A

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **Domestic regulation**

49 CFR Road

UN/ID/NA number : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Potassium hydroxide)

Class : 9 Packing group : III

Labels : CLASS 9
ERG Code : 171
Marine pollutant : no

Reportable Quantity : Potassium hydroxide only regulated in pack sizes > 17,482 kg

#### **Further information**

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Respiratory or skin sensitization

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **US State Regulations**

### Pennsylvania Right To Know

potassium hydroxide 1310-58-3

# California Prop. 65

WARNING: This product can expose you to chemicals including sulphuric acid, hexachlorobenzene, propylene oxide, ethylene oxide, which is/are known to the State of California to cause cancer, and

hexachlorobenzene, ethylene oxide, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

according to the OSHA Hazard Communication Standard



# Tordon® 22K

Version Revision Date: SDS Number: Date of last issue: 08/30/2023 1.4 10/19/2023 800080003197 Date of first issue: 03/09/2022

### The ingredients of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### Federal Insecticide, Fungicide and Rodenticide Act

EPA Registration Number : 62719-006

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

### **CAUTION**

Causes moderate eye irritation

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

### **SECTION 16. OTHER INFORMATION**

Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

Dow IHG : Dow Industrial Hygiene Guideline

OSHA PO : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

ACGIH / C : Ceiling limit

Dow IHG / TWA : Time Weighted Average (TWA):

OSHA P0 / C : Ceiling limit

ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; ECx - Concentration associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - not otherwise specified; NOEC - Non-Observed Effective Concentration; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pol-

according to the OSHA Hazard Communication Standard



# Tordon® 22K

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/30/2023

 1.4
 10/19/2023
 800080003197
 Date of first issue: 03/09/2022

lution Prevention; (Q)SAR - (Quantitative) Structure Activity Relationship; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SDS - Safety Data Sheet; UN - United Nations. CFR - Code of Federal Regulations. IARC - International Agency for Research on Cancer. IATA-DGR - International Air Transport Association Dangerous Goods Regulations. OSHA - Occupational Safety and Health Administration. RCRA - Resource Conservation and Recovery Act. RQ - Reportable Quantity. SARA - Superfund Amendments and Reauthorization Act. TSCA - Toxic Substances Control Act.

Revision Date : 10/19/2023

Product code: XRM-4713

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN